

**Arkansas Development Finance Authority's  
Capital Needs Assessment Firms Approved List**

<p>HERS, Inc. Ron Hughes, President 1206 S. Main St. Little Rock, AR 72202 501-353-0605 ron@hersinc.com</p>	<p>ON-SITE INSIGHT, Inc. David Whiston, Principal 38 Chauncy , Ste 6 Needham, Massachusetts 02111 781.449-7752 dwhiston@on-site-insight.com</p>
<p>Michael A. Wright 3 Wellington Colony Drive Little Rock, AR 72211 501-224-1680 Mdwright3@att.net</p>	<p>Right-Trak Design, Inc. Jerome L. Wuebbolt, President 58 Beaver Pond Road Weare, New Hampshire 03281-5800 603-529-2022 www.rightrakdesign.com</p>
<p>Brown's Inspections Ken D. Brown 160 Eddie Lane Clinton, AR 72031-8613 501-745-1243 Kenellie@clintoncable.net</p>	<p>Dominion Due Diligence Group 2311 Westwood Ave Richmond, Virginia 23230 804-358-2020 J.Berger@d3g.biz</p>
<p>Zeffert &amp; Associates Robert H. Zeffert, Senior Principal 2321 Weldon Parkway St. Louis, Missouri 63145 1-800-820-4079 fax@zeffert.com</p>	<p>E &amp; A Services, Inc. Mark English, President P.O. Box 70550 Tuscaloosa, Alabama 35407 1-800-504-7483 Ext 113 mark@AccessEA.com</p>
<p>Capitol Consultants, Inc. Sean King 2610 Delmar Boulevard St. Louis, Missouri 63103 314-436-2314 sking@capital-consultants.com</p>	<p>Gill Group, Inc. 512 N. One Mile Road P.O. Box 784 Dexter, Missouri 63841 Royce Snider Royce.snider@gillgroup.com</p>
<p>Blackledge &amp; Associates Architects 7416 N. Broadway, Suite L Oklahoma City, OK 73116 Larry Blackledge 405-848-2855 blackledge@pldi.net</p>	<p>Underground Environmental Services Inc. 100 E. Seventh Street, Suite 400 Kansas City, MO 64106 Ed Taylor, CEO 888-886-4673 ed@uesenv.com</p>
<p>Gibson Consulting LLC 7329 Montclair Shreveport, LA 71105 318-524-0177 ford@gibsonconsulting.com</p>	<p>Acacia Realty Advisors Meffrey A. Thompson, MAI 3624 High Green Drive Marietta, GA 30068 678-362-9909 acacia.info@bellsouth.net</p>
<p>Housing Consultants of Oklahoma 911 S. Rock Hollow Ct. Stillwater, OK 74074 General Partners Tim Henderson Ivan Graves phone: 405.742.7813 Phone: 405.880.5867</p>	