

Submit to WHEDA with the final application documentation requesting 8609 issuance. Attach the Energy Efficiency Threshold Requirements (Appendix M) from the year of the original LIHTC application

**OWNER
LIHTC ENERGY EFFICIENCY CERTIFICATION**

The undersigned hereby acknowledges and certifies to the Wisconsin Housing and Economic Development Authority (WHEDA) that he/she represents, _____ the Owner of (LIHTC project name) _____, LIHTC Project # _____ located in (city/cities) _____, Wisconsin.

In accordance with the energy efficiency threshold requirements specified in the LIHTC Qualified Allocation Plan and Tax Credit Application governing the year of original application, I hereby certify the following:

Check the appropriate selections:

- _____ Low flow showerheads of 1.75 gpm or less have been installed in all dwelling unit showers for the project. In addition, faucet aerators with a rating of 1.5 gpm (or less) are installed on every faucet within each dwelling unit of the project.
- _____ Appropriate high-efficiency lighting, including High-Performance T-8 systems, T-5 systems, or Compact Fluorescent Lamps (CFLs) have been installed in all common areas, including decorative fixtures.
- _____ All appliances and air conditioners provided in the project meet the **ENERGY STAR™** standard.
- _____ Setback thermostats are installed and operational in all family-designated housing units located in the project.

NEW CONSTRUCTION PROJECTS:

- _____ Each building envelope in the project exceeds the State of Wisconsin Department of Commerce Building Envelope Requirements by a minimum of 15%. **Please attach the REScheck™ data output worksheets to this certification when submitting to WHEDA.** The REScheck™ calculations must demonstrate compliance with State of Wisconsin building codes.

PRESERVATION (Acquisition/Rehab) & ADAPTIVE RE-USE PROJECTS:

- _____ Each building envelope in the project exceeds the State of Wisconsin Department of Commerce Building Envelope Requirements by a minimum of 15%. If 15% cannot be achieved, the attached documentation demonstrates efforts **AND** greater than normal efficiencies of ancillary items such as: window replacement “U” value, insulation “R” value, heating systems and lighting systems. **Please attach the REScheck™ data output worksheets to this certification when submitting to WHEDA.** The REScheck™ calculations must demonstrate compliance with State of Wisconsin building codes.
- _____ All building components upgraded as part of the renovation meet the **ENERGY STAR™** or equivalent building standards. Check the upgraded building components that comply: ___ windows, ___ wall insulation, ___ roof insulation, ___ exterior doors.

Owner's Signature

Date

Printed Name and Title - Owner